

SOLVENT-LOGBOOK



Customer information on the topic: Solvent and solvent control

1.

Use only the solvent intended for the system
(Sign on the recovery)

2.

Use **highly stabilized** solvent (fresh goods only)

3.

Check solvents **regularly** for alkalinity reserve and pH value

4.

Record the determined values in the solvent operating log

5.

Add according to stabilizer, around 15 ppm to 20 ppm to reach alkalinity reserve

6.

Only fill in the mix if the core temperature is 5 ° C lower than the boiling point of the solvent (for Tri <82 ° C or for Per <116 ° C)



If you have any questions, please contact our
Service department Tel. +49 7135 9500 15
or to your solvent supplier.

Laboratory	
Asphalt Analyzer, Machine number	
Solvent	

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



ATTENTION: also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)


Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)


Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours

Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



ATTENTION: also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



ATTENTION: also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



ATTENTION: also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



ATTENTION: also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



ATTENTION: also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

ACCESSORIES & SPARE PARTS

Solvent Test Case



20-1190

Stabilizer for trichlorethylene



20-1195

Supply and disposal carriage TRI



20-9850

Disposal carriage TRI



20-9851

Vacuum-Extraction device



20-9830

Collecting bottle fume cabinet



20-9854



You can find further product information in our online catalog at www.intratest.net

NEW

YOU!
Safe Extractions



**Asphalt Analyzer
YOU!**

20-11300

**Asphalt Analyzer
YOU! Touch**

20-11320

**Asphalt Analyzer
YOU! PG**





20-11340

The new features:

- ▶ Two maintenance windows in the recovery cover
- ▶ Direct connection to the rotary evaporator
- ▶ Temperature limiters above recovery cover
- ▶ Stainless steel corrugated cooler in the recovery ensures an enlarged surface
- ▶ Additional inlet sieve in the recovery system for catching of very light asphalt components

infraTest Prüftechnik GmbH

Wiesenbachstraße 15
D-74336 Brackenheim-Botenheim
Tel.: +49 (0) 7135-95 00-0
Fax: +49 (0) 7135-95 00-20
info@infraTest.net
www.infraTest.net

 /infertest_germany
 /infertestprueftechnik
 /company/infertest-prueftechnik-gmbh
 infraTest Prüftechnik GmbH

**infraTest**
TESTING SYSTEMS