

# SOLVENT-LOGBOOK



## Customer information on the topic: Solvent and solvent control

1.

Use only the solvent intended for the system  
(Sign on the recovery)

2.

Use **highly stabilized** solvent (fresh goods only)

3.

Check solvents **regularly** for alkalinity reserve and pH value

4.

Record the determined values in the solvent operating log

5.

Add according to stabilizer, around 15 ppm to 20 ppm to reach alkalinity reserve

6.

Only fill in the mix if the core temperature is 5 ° C lower than the boiling point of the solvent (for Tri <82 ° C or for Per <116 ° C)



If you have any questions, please contact our  
Service department Tel. +49 7135 9500 15  
or to your solvent supplier.

<b>Laboratory</b>	
<b>Asphalt Analyzer, Machine number</b>	
<b>Solvent</b>	

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)


Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)


Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours

Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)




Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>
<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>	<input style="width: 100%; height: 25px;" type="text"/>



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)


Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)


Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)




Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector

 **ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)



Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

Solvent Supplier

Solvent Batch

Stabilizer

Operating Hours  Hours

Date	measured alkalinity reserve (ppm)	Level Solvent reservoir (Liter)	Encore stabilizer (ml)	Determined PH value	Extractions (tally list)	Narrowing (tally)	Inspector



**ATTENTION:** also test the barrel goods for refilling / filling the analyzer in advance for a sufficiently high alkalinity reserve (min. 15 ppm)

## ACCESSORIES & SPARE PARTS

### Solvent Test Case



20-1190

### Stabilizer for trichlorethylene



20-1195

### Supply and disposal carriage TRI



20-9850

### Disposal carriage TRI



20-9851

### Vacuum-Extraction device



20-9830

### Collecting bottle fume cabinet



20-9854



You can find further product information in our online catalog at [www.intratest.net](http://www.intratest.net)

**NEW**

**YOU!**  
Safe Extractions



**Asphalt Analyzer  
YOU!**

20-11300

**Asphalt Analyzer  
YOU! Touch**

20-11320

**Asphalt Analyzer  
YOU! PG**





20-11340

## The new features:

- ▶ Two maintenance windows in the recovery cover
- ▶ Direct connection to the rotary evaporator
- ▶ Temperature limiters above recovery cover
- ▶ Stainless steel corrugated cooler in the recovery ensures an enlarged surface
- ▶ Additional inlet sieve in the recovery system for catching of very light asphalt components

### **infraTest Prüftechnik GmbH**

Wiesenbachstraße 15  
D-74336 Brackenheim-Botenheim  
Tel.: +49 (0) 7135-95 00-0  
Fax: +49 (0) 7135-95 00-20  
info@infraTest.net  
www.infraTest.net

 /infraTest\_germany  
 /infraTestprueftechnik  
 /company/infraTest-prueftechnik-gmbh  
 infraTest Prüftechnik GmbH

  
**infraTest**  
TESTING SYSTEMS